SHELDON & MAK
A PROFESSIONAL CORPORATION
ATTORNEYS

CORPORATE CENTER
225 SOUTH LAKE AVENUE, 9TH FLOOR
PASADENA. CALIFORNIA 91101-3021
FACSIMILE: (626) 795-6321

HOME PAGE: www.usip.com

RECEIVED
CENTRAL FAX CENTER

MAY 1 0 2005 OTHER CALIFORNIA OFFICES:

> RIVERSIDE UPLAND

LES J WEINSTEIN SENIOR COUNSEL

May 10, 2005

To:

JEFFREY G. SHELDON

DENTON L. ANDERSON

DAVID A. FARAH, M.D.

WILLIAM J. BRUTOCAO

DOUGLAS H. MORSEBURG

DANTON K. MAK

ROBERT J. ROSE

DANIEL J. COPLAN

EDWARD C. SCHEWE KRISTN C. HIBNER, PH.D. MARC A. KARISH MICHAEL F. FEDRICK SHANNON S. SHELDON JULIO M. LOZA J. ERIC BJORGUM

Patent and Trademark Office

Attn: Examiner Ramesh Krishnamurthy

Patent Examining Corps

Facsimile Center

Fax No.: (703) 872-9306

From: Marc Karish

Our Ref.: Phone: 14017-1

(626) 796-4000 X 328

No. of Pages (including cover letter): 10

If you do NOT receive all of the pages, please telephone 626/796-4000, or facsimile 626/795-6321.

Applicant: Paul, Phillip H. et al.

Serial No.: 09/942,884

Filed: August 29, 2001

Title: Electroosmotic Flow Controller

Document(s): Response

Group Art Unit: 3753

Attorney Docket No.: 14017-1

Examiner: Ramesh Krishnamurthy

Comments:

The Examiner is authorized to charge any fees believed due to Deposit Account 19-2090. The attached is an Official Document. Please place the attached Response in the Examiner's File.

Date: May 10, 2005

By:

Marc Karish

Reg. No. 44,816

CERTIFICATE OF FACSIMILE TRANSMISSION: I hereby certify that this paper is being transmitted by facsimile via (703)872-9306 to the U.S. Patent and Trademark Office on the date shown below.

Printed Name:

Elaine Porter

محص

May 10, 2005

Signature

Date

JAEksigent14017-1116 USPTO Facsimile Filing Cover Sheet.wpd

RECEIVED **CENTRAL FAX CENTER**

09/942,884

May 10 05 03:01p

MAY 1 0 2005

Attorney Docket No. 14017-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Examiner: Krishnamurthy, Ramesh

Paul, Phillip H. et al.

Art Unit Group: 3753

Serial No.: 09/942,884

Filing Date: August 29, 2001

ELECTROOSMOTIC FLOW

CONTROLLER

Pasadena, California

RESPONSE

United States Patent and Trademark Office P.O. Box 2327 Arlington, VA 22202

Dear Sir:

In response to the Final Office Action mailed March 9, 2005 Applicants submit the following remarks.

CERTIFICATE OF TRANSMITTAL BY FACSIMILE: I hereby certify that this paper is being transmitted by facsimile via (703) 872-9306 to the U.S. Patent and Trademark Office on the date shown below.

Printed Name: Elaine Porter

May 10, 2005

J:\Eksigent\14017-1\22 RevisedResponse to Final Office Action.doc